

# Boris Red™ 3.0.4

## Release Notes

Introduction .....	2
Supported Hosts and Operating Systems .....	2
Minimum System Requirements .....	3
Localization .....	3
Supported Hardware and Drivers.....	4
Important Note on OpenGL Support .....	4
Supported OpenGL Hardware.....	4
Supported Preview to Monitor Hardware .....	7
Enabling Preview to Monitor .....	9
Displaying Frames on your External Monitor.....	11
Tips for Using the Preview to Monitor Feature .....	11
Important Note on Missing Filters .....	12
Important Information for Avid Users .....	12
Important Information for Edius Users .....	13
Important Information for Final Cut Pro Users .....	15
Important Information for Pinnacle Liquid Edition Users .....	17
Important Information for Premiere Pro Users .....	18
Important Information for Sony Vegas Users .....	18
Important Information for Ulead Users .....	18
Installing and Using Adobe After Effects Filters within Boris Red .....	19
Important Information about Exporting to Flash .....	20
Important Note on Creating Time Effects within Boris Red .....	21
Important Information about Working with Motion Filters .....	21
Important Information Using the KeyFrame Library .....	22
Fixed Bugs in Boris Red since Version 3.0 .....	22
Known Limitations in Red 3.0.4 .....	26
Registration .....	33
Contacting Technical Support .....	33



## Introduction

Welcome to Boris Red 3.0.4. These Release Notes contain information regarding supported hosts, hardware and operating systems, known limitations, and other important information about the product.

For information on installing Boris Red 3.0.4 into your host application, see the Installation Guide pdf file.

Version 3.0.4 is a maintenance release that fixes a number of bugs that appeared in previous versions of Boris Red. These Release Notes contain important information regarding supported system requirements, fixed bugs, and known limitations. For information about Boris Red software updates, other Boris products, and additional resources, visit our web site at [www.borisfx.com](http://www.borisfx.com).

## Supported Hosts and Operating Systems

Boris Red 3.0.4 supports the following host applications. Because host versions update frequently, please visit our website at [www.borisfx.com](http://www.borisfx.com) for information on supported versions for each host.

Macintosh	Windows
Adobe® Premiere® 6.5	Adobe® After Effects® 6.0
Apple® Final Cut Pro® 3.0, 4.0 or later	Adobe® Premiere Pro® 1.5
Avid® Media Composer®, Avid Symphony® 4.7, 4.8, Avid XpressMac®, Avid Xpress DV® 3.0, 3.5.4, Avid Xpress Pro® 4.0 or later	Avid® Media Composer®, Avid Symphony®, Avid Xpress®, Avid Xpress DV® 3.0, 3.5.4, Avid Xpress Pro® 4.0 or later, Avid Xpress Studio, Avid   DS 6.0 and later
Media 100 i® 8.1 and later, Media 100 HD 10.0	Canopus® Edius® 2.5, Edius Pro® 3.0
	DPS® Velocity® 8.2
	Incite® Media Producer 3.0 and later, Remote Producer 3.0 and later
	In:Sync® Blade® 2.2, In:Sync Speed~Razor® 5.5
	Media 100® iFinish 4.6
	Pinnacle purple®, Pinnacle silver® 4.01, Pinnacle Liquid Edition® 6.0
	Sony® Vegas® 4.0
	Ulead Media Studio Pro® 6.5, 7.0



## Supported Hardware and Drivers

You need the following hardware and system requirements to use the hardware dependent features in Red 3.0.4. For detailed information on the OpenGL feature in Red 3.0.4. See the Understanding OpenGL pdf on your Red CD or Volume I in the Red User Guide.

### Important Note on OpenGL Support

Due to the fast rate at which OpenGL card manufacturers release drivers, Red may disqualify your OpenGL hardware erroneously. If this happens, you should try to enable OpenGL to see if you benefit from OpenGL acceleration. If you have troubles with slowness, or render inconsistencies, please disable OpenGL. For information on enabling OpenGL, see “Enabling OpenGL” on page 7.

While OpenGL may work in the Red Engine, that does not necessarily mean it will work inside your host application. This is due to the fact that some hosts use OpenGL memory, leaving it unavailable for Red when you work inside the host.

If your host crashes when trying to apply Red, and you cannot disable OpenGL in your host, please contact our technical support staff. They will send you a preferences file that will start Boris Red with OpenGL disabled.

BorisFX will make every effort to continue to qualify OpenGL cards and driver versions. However, it is important to note that it is impossible to qualify all combinations of OpenGL cards, operating system, drivers and host applications. In general you should run the latest driver available for your OpenGL card. If you have problems with the latest driver, visit the Boris website to see a list of the latest supported driver versions.

### Supported OpenGL Hardware

The following graphics cards and drivers are supported for Red’s OpenGL features. This list is current as of the initial Red 3.0.4 release. Boris FX maintains an updated list of tested video cards on our web site: [www.Borifix.com](http://www.Borifix.com). In general you should download and install the latest driver for your GL card. For the latest updates to the list of supported cards and drivers, please visit: [www.borifix.com/html/products/RED/table.html](http://www.borifix.com/html/products/RED/table.html).

OpenGL is a cross-platform standard that accelerates the rendering of 2D and 3D graphics. Most newer video cards have hardware-based OpenGL acceleration. If your system does not include the recommended minimum requirements, Red initially defaults OpenGL to Off. You can re-enable OpenGL in the Red Preferences window. You can still use Red without OpenGL or with an older card, you just won’t gain as much acceleration while working. For details on how to use OpenGL, see Volume I in the Red User Guide.



Final Cut Pro 4.x users must have a minimum of Macintosh OS 10.3 installed to support Red’s OpenGL feature.

### Supported Macintosh Hardware

- ATI Radeon 8500 (and up), Radeon Rage 128 (Macintosh only).
- NVidia GeForceFX (all), GeForce 3 and GeForce4 (all)

### Supported Windows Hardware

- ATI FireGL series, Radeon X300 (and up), Radeon 8500 (and up)
- NVidia Quadro FX (all), Quadro4 900 (and up), GeForce 6800, GeForce PCX, and GeForce 3 and GeForce4 (all)
- Matrox Parhelia



**Note for NVidia users:** The NVidia GeForce 2 is not supported for OpenGL in Red.



As a general rule, you should install and run the latest driver available for your GL card. ATI users should not use driver versions previous to 63.68. NVidia users should not use driver versions previous to 65.00.




**Note for Matrox Parhelia users:** The Matrox Parhelia card is not recommended for Red users running Ulead Media Studio Pro. See “Important Information for Ulead Users” on page 18 for more information.

### Checking your OpenGL Hardware, Software, Drivers and Settings

The first time you launch Boris Red, an internal test is run on your system to determine whether your hardware meets the minimum requirements necessary for OpenGL Hardware acceleration. If your hardware does not meet the minimum requirements, OpenGL is disabled by default on your system.

To perform the OpenGL Hardware test manually, click the **Test OpenGL Hardware button** in the Preferences window’s Render tab.

This test may take a few seconds. After the test is run, a window displays specifics of the hardware and drivers on your system. If any test results show your system may have problems running OpenGL, the errors are detailed in this window.



The test stresses your OpenGL hardware, so you should run the test with a typical workload. Before you run the OpenGL hardware test, launch any applications that you usually run while you edit (any graphics intensive applications you are running at the time may affect the results).

If you want, click the **Copy to Clipboard button** to copy this information to your system clipboard. This allows you to print or email this information. When you finish, click **OK** to close this window.

Red uses the following guidelines for optimal OpenGL performance. Some of this information does not affect Red's hardware testing but is useful for technical support if you are having OpenGL problems:

- **Graphics Card**-- See the table and notes on page 4. Also see the updated list on the Boris FX website.
- **OpenGL version**--Should be 1.2 and higher.
- **Driver Version**--As a general rule, you should install and run the latest driver available for your GL card. ATI users should not use driver versions previous to 63.68. NVidia users should not use driver versions previous to 65.00.
- **Texture Rectangle**--This is an advanced OpenGL image sizing feature. If you are having OpenGL problems, this provides useful information for technical support.
- **Texture Memory**-- Texture Memory displays the amount of memory on the video card available for Red to use for textures (layer images).To use Red without display or performance problems, Texture Memory must be at least 32MB. Texture Memory available is not the absolute of memory on your card, but rather the amount available to Red.
- **Texture Dimension** displays the maximum texture size that can be used with the video card.
- **Macintosh OS Version** displays the installed version of the Macintosh OS (if you are running on a Macintosh system.) Macintosh users must have at least Macintosh OS 10.2.6 installed to support OpenGL; Final Cut Pro 4.x users, must have at least Macintosh OS 10.3 installed to support OpenGL.

## OpenGL Errors

When the OpenGL Hardware Test is run, error messages may display if your system fails. These errors display as Hardware Status errors or Critical Testing errors.

**Hardware Status errors** report the status of your current system setup against Red's recommended card manufacturer, model and driver. These errors do not prevent you from using OpenGL, they just warn that your specific setup may cause problems with OpenGL. Hardware Status errors can include messages such as insufficient texture memory or reports that your card was not recognized by Red's internal hardware testing. When you receive a Hardware Status error, OpenGL is automatically disabled when you launch Red. However, you can manually enable OpenGL in the Red Preferences window.

**Critical Testing errors** report errors that will not allow you to use OpenGL in Red. When you receive a Critical Testing error, OpenGL is automatically disabled when you launch Red. If you receive a Critical Testing error, you should not enable OpenGL or you may crash.



Final Cut Pro 4.x users must have at least Macintosh OS version 10.3 installed in order to support Red's OpenGL feature.



Certain errors are influenced by your video card's display properties, which are card-driver specific. As a general rule, set the display properties to 32 bits of color, with the depth buffer set to at least 16 bits. On many cards OpenGL capabilities are reduced for higher display resolution and refresh rates.

### Enabling OpenGL

You can enable OpenGL in the Preview menu or in the Preferences window.

- To enable OpenGL in the Preference window, choose *Edit > Preferences* (Windows) or *Boris Red > Preferences* (Macintosh). Click the Render Tab and select the **Accelerated Draft Preview** checkbox. Choose the appropriate choice from the **OpenGL Acceleration menu**. *On, Max. texture caching* provides the best performance and is the recommended setting.
- To enable OpenGL in the Preview menu, choose Preview > Open GL Mode. Choose the appropriate choice from the submenu. *On, Max. texture caching* provides the best performance and is the recommended setting.

### Troubleshooting OpenGL Issues

To toggle OpenGL off, use the keyboard shortcut Command or Control-[. To turn it back on, the keyboard shortcut Command-] (Macintosh) or Control-] (Windows). Menu choices also appear in the Preview menu and in the Preferences window. You can still use Red without OpenGL or with an older card, you just won't gain as much acceleration.

Display problems such as white, rainbow or garbage images in the Composite window may be related to OpenGL. If this occurs, open the Preference window. In the Render tab, change the **OpenGL Acceleration menu** to use less texture caching. Texture caching is used for textures (layer images) and is related to the amount of Texture memory on the video card. Display problems related to OpenGL will not affect your rendered effects.



If you experience OpenGL problems, setting the **OpenGL Acceleration menu** to use less texture caching improves OpenGL reliability, but lessens performance.

### Supported Preview to Monitor Hardware

You can output video to an external monitor through a FireWire converter box or through supported video hardware connected to your system. You can output media at any project size and immediately view your working frame without rendering the timeline.

Some hosts have native Preview to Monitor (PTM) where Red passes a frame and the host displays it. If a host has this ability, for example Meridien-based Avid systems, then nothing changes from the Red 2.x capabilities. However, if a host did not have native PTM ability,

then you can use the new Preview to Monitor feature. The user does not have hardware choices in the Preferences window if Red uses native host PTM (since the host controls the hardware connection).



As a plugin, Red does not officially support connecting to hardware that is already in use by the host NLE for direct Video Out purposes. The plug-in version of Red can only use the FireWire output if the NLE releases it while Red is running. A number of hosts (for example Premiere and FCP) will not release control of the primary display hardware. This prevents Red's Preview to Monitor feature from working either in the plug-in or the Red Engine until the NLE releases control of the FireWire hardware.

However, Red looks for all possible output devices upon installation, and lists the results in the Device menu in the Preview tab of the Boris Red preferences. As a result, users may be able to use a different output device for Red than the one that the host application uses. The host application may use its own capture hardware for display, leaving the FireWire port available.

Video-out capabilities are also available in the standalone Boris Red Engine. This enables anyone with supported video hardware, whether built into their computers, included with their NLEs, or provided through third parties, to see the work they create in Boris Red immediately on television monitors.

Red supports the following video cards for the new Preview to Monitor (PTM) feature in both the Red Engine and while using Red in your host. For detailed information on the new PTM feature, see Volume I of the User Guide.



Make sure you have the latest drivers installed for the supported video cards.

### Supported PTM Cards

- Cinewave®
- Matrox® Parhelia®
- AJA® Xena®
- Canopus® RT® (See note below.)



**Note for Macintosh Users:** Most cards supporting standard QuickTime video out capabilities and drivers should work.



**Note for Windows Users:** Although the previous cards were internally tested and approved, other cards may work as well. We also support standard FireWire out. Many Canopus RT boards work, although we cannot guarantee they all will.



**Note for Final Cut Pro version 3.0 Users only:** FCP 3 users running Red as a plug-in with FireWire for Red's Preview to Monitor feature, must disconnect before clicking the **Apply button** or FCP will crash. To disconnect, choose Preview > Disconnect External Monitor.



**Note for Final Cut Pro version 4.x Users only:** In order to use Red's Preview to Monitor feature, you must turn off the external video in Final Cut Pro before launching Red. Choose View > External Video > Off before launching Red, then enable Red's Preview to Monitor feature when Red is launched. After leaving Red, reenale the external video (View > External Video > All Frames) to see Final Cut Pro video in the external monitor.

Once the hardware is connected, choose *Connect to Monitor* from the **Preview menu**. Commands in the Preview menu allow you to set the video display. You can output media at any project size and immediately view the working frame without rendering the timeline.

When you choose Display Frame on Monitor from the Preview menu or click the **Display Frame to Monitor button** in the upper-right corner of the Composite window, the image displays on the external monitor, using the Resolution and Quality settings specified in the Composite window. 

When you choose Display HQ on Monitor from the Preview menu, the image displays on the external monitor, using the Full Resolution and High Quality settings, regardless of the Resolution and Quality settings in the Composite window. When you choose Auto-Update Monitor from the Preview menu, every frame of your effect previews to the external video monitor connected This allows you to drag the CTI in the timeline and view updating frames. This option is not available in some host applications or system configurations.

Once the hardware is connected, configure the Red Preferences to use this feature. See the next section for details.

## Enabling Preview to Monitor



**Final Cut Pro version 3.0 Users only:** FCP 3 users running Red as a plug-in with FireWire for Red's Preview to Monitor feature, must disconnect before clicking the **Apply button** or FCP will crash. To disconnect, choose Preview > Disconnect External Monitor.




**Final Cut Pro version 4.x Users only:** To use the Preview to Monitor feature, you must turn off the external video in Final Cut Pro before launching Red. Choose View > External Video > Off before launching Red, then enable Preview to Monitor when Red is launched. After exiting Red, reenale the external video (View > External Video > All Frames) to see FCP video in the external monitor.

1. Choose File > Preferences (Windows), or Boris Red > Preferences (Macintosh).
2. Click to select the Preview tab.

3. In the External Monitor Output section, choose your Firewire Converter box or Video hardware board from the **Device menu**.

The Device menu displays all the supported hardware connected to your system.



4. Choose an option from the **Mode menu** if applicable. For example, if you are using a Firewire Converter box, you can choose *PAL* and *NTSC* formats from the **Mode menu**.
5. Click **OK** to save your settings and exit the Preferences window.



The Preview to Monitor preferences save and apply to all Red projects unless your Red preference file is rebuilt.


## Displaying Frames on your External Monitor

Commands in the Preview menu allow you to set the video display:

- When *Connect to External Monitor* is chosen in the **Preview menu**, Preview to Monitor is enabled and the following three options in the menu become available:
- When you choose *Auto-Update Monitor* from the Preview menu, every frame of your effect previews to the external video monitor. This allows you to drag the CTI in the timeline and view updating frames. The image displays on the external monitor, using the Resolution and Quality settings specified in the Composite window.



Enabling Auto-Update Monitor slows Red since every frame updates in the external monitor.

- When you choose *Display Frame on Monitor* from the **Preview menu** or click the **Display Frame to Monitor button** in the upper-right corner of the Composite window, the current frame displays on the external monitor, using the Resolution and Quality settings specified in the Composite window. 
- When you choose *Display HQ Frame to Monitor* from the Preview menu, the image displays on the external monitor, using Full Resolution and High Quality settings, regardless of the Resolution and Quality settings in the Composite window.

## Disconnecting Preview to Monitor

To disconnect Preview to Monitor (for example if you want to connect another device to your video board), exit Red. When you relaunch Red, the external monitor is not connected until you choose *Connect to External Monitor* in the **Preview menu**.

## Tips for Using the Preview to Monitor Feature



**Note for Final Cut Pro version 3.0 Users only:** FCP 3 users running Red with FireWire for Red's Preview to Monitor feature, must disconnect before clicking the **Apply button** or FCP will crash. To disconnect, choose Preview > Disconnect External Monitor.



**Note for Final Cut Pro version 4.x Users:** To use Red's Preview to Monitor feature, you must turn off the external video in Final Cut Pro before launching Red. Choose View > External Video > Off before launching Red, then enable Red's Preview to Monitor feature when Red launches. After leaving Red, reenables the external video (View > External Video > All Frames) to view Final Cut Pro in the external monitor.

- Preview to Monitor automatically disconnects when you exit Red. This means each time you launch Red, you need to choose Preview > Connect to External Monitor in order to reconnect and see your image on the external monitor.
- To change the Preview to Monitor device or mode, disconnect by choosing *Disconnect External Monitor* from the **Preview menu**. Open the Preference window's Preview tab to choose a new device or driver from the **External Monitor Output menus**. You can also reconnect via the Preview menu with those new settings in the same session.

- Displaying images on an external monitor requires compressing and resizing the images. Red may run slower if Auto Update is enabled. Deselect **Auto-Update Monitor** in the Preview menu to remain connected to the external monitor but not automatically update frames. Manually update frames to your external monitor by choosing Preview > Display Frame to Monitor, or Preview > Display HQ Frame to Monitor, or by pressing the **Display Frame to Monitor** button on the upper-right corner of the Composite window.



Display Frame to Monitor Button

## Important Note on Missing Filters

Several BCC filters are not included with the Boris Red installation. Instead, the BCC DeGrain, BCC Match Grain, BCC Motion Blur, BCC Radial Blur, and BCC Spiral Blur filters are available as a free download to registered users. These filters are available on the Downloads page at [www.borisfx.com](http://www.borisfx.com).



You must register Boris Red to download these filters. See the Installation Guide PDF for details on registering.

## Important Information for Avid Users

Avid users can now apply Boris Red as a filter to titles created with the Avid Title tool.

### Applying Boris Red as a Title-Matte Effect

You can apply Boris Red directly to titles created in the Avid timeline. For example, if you have a bin with saved titles, you could apply a filter to the titles in Red.

1. Edit an Avid title or matte key into the Avid timeline.
2. Open the Avid Effect Palette and select Boris Red from the Effect categories. From the list of available Red effects, drag the *Boris Red Title-Matte Effect* to the title or matte key in the Avid timeline.



The Title-Matte effect is a destructive process which replaces the title or matte key. Removing a Title-Matte effect removes the title's nested alpha channel. To remove a Title-Matte effect and preserve the alpha, use the Undo command instead of the Remove Effect command.

3. Click the **Other Options** button in the Avid Effect Editor to launch Red.



If the title or matte key looks blocky when Red opens, select its Face track in the timeline. In the Host Media tab, choose *Straight Alpha* from the **Key** menu. This usually happens automatically.

## Replacing a Title-Matte Effect

Since a title is replaced by applying the Title-Matte effect, to re-edit a title with a Title-Matte Effect (for example to change the text or a font) you must save the Title-Matte effect while you are in Red (in the File menu). Recreate the Avid title and overwrite the older title in the Avid timeline. Drag a Red Title-Matte Effect to the new title. In Red, open the saved effect and apply it to the new title.

## Avid Systems and Preview to Monitor

Red's Preview to Monitor feature works for Xpress DV, Xpress Pro, and Adrenaline and Mojo models only. All other Avid products can use the existing AVX Preview to Monitor feature within Red. The AVX Preview to Monitor allows you to see video in an external monitor without the extra step of selecting your hardware in Red's Preference window.

## Important Information for Edius Users

Due to limitations in the Edius architecture, you need to be aware of the following limitations when using Red inside Edius.

### Launching Boris Red within Edius

To launch the Red user interface after applying a Boris effect to a clip, the Edius timeline cursor must be placed over the effect and the track containing the effect must be selected.

### Working with Edius Palettes when Red is Launched

When using Boris Red as a Transition effect in Edius, the Edius Palettes remain above the Boris windows. BorisFX has reported this issue to Canopus and is working with them to resolve it in a future release of Edius. Currently, to work around this issue, position the Edius Palettes and Boris windows so they don't overlap.

### Editing Previously Rendered Effects

In Edius, when a clip is rendered, that clip is locked. Any changes to a Red effect will not display in the Edius Preview window until Edius is closed and reopened. To work around this limitation, complete the following steps:

1. In the Edius settings, click the Render tab.
2. In the **Delete invalid rendering files** section, choose *When the Rendered File is Invalid*.
3. Unrender the clip by making a change, such as toggling the checkbox to disable/reenable the effect in the Edius Information Palette.

## Using Boris Red as a Transition in Edius

Edius includes three types of transitions; **In**, **Out** and **Single Track**. Due to current limitations in the Edius plug-in architecture, Boris Red will not work as desired when applied as an Out transition. We recommend that you build Red transitions in Edius as either Single Track or In transitions.

## Important Note on Creating Time Effects within Boris Red

Due to a limitation in the Edius architecture, Red's Time filters do not work when applied to host video in Edius since Red cannot obtain the alternative host video frames needed for rendering. If you apply a Time filter to Edius host video, an 'X' displays in the Composite window and a default image is displayed. To work around this limitation, import the video directly into Red effect as Movie media (rather than referencing it as V1 host video) or create the time remapping effect in the standalone Red Engine rather than in the Red plug-in.



For more information on the standalone Red Engine, see your Red User Guide.

## Unexplained Crashes in Edius with OpenGL Enabled

If Edius crashes when trying to apply Red it may be because OpenGL is enabled. If you cannot disable OpenGL, launch the standalone Red Engine to disable OpenGL, then you should be able to apply Red within Edius as a plug-in. You can also contact our technical support staff. They will send you a preferences file that starts Red with OpenGL disabled.

## Applying Multiple Boris Red Filters to a Clip in Edius

There are some issues you should be aware of when applying multiple Red filters to a clip.

### Stacking Multiple Overlapping Boris Effects

We do not recommend adding multiple Red effects to an Edius clip or stacking clips containing Boris effects on multiple layers in the Edius timeline. This may work, but depending on your system specifics, multiple Boris effects (>2) on a clip or stacked on top of each other may not render properly. Instead, apply a single Red effect to an Edius clip and add multiple filters to the clip within Red.



This limitation only applies to effects that overlap exactly. For example, a track containing both an in and an out transition would not fall under this suggestion (since they can not overlap).

### Applying more than one Boris Effect to a Clip

If there is more than one Boris effect applied to a clip, the effect of preceding filters will not display in the subsequent filters in the Red User Interface. For example, if first a blur filter and then a ripple filter are applied to the same Edius clip, the blur filter effect will not show in the effected track when the ripple effect is launched. However, all effects will display during render in the Edius Preview window.

## Playing Boris Red Effects

Edius timeline playback stops when trying to play through a Boris effect. To fix this, in the Edius settings deselect the *Stop Playback at Frame Drop* in the **Playback** tab.

## Working in Boris Red when Edius is Running

When Red is launched, Edius is unable to perform other actions (such as closing). It is possible to get Edius into a state where it thinks Red is launched, but the Red user interface does not appear. This will functionally lock Edius.

To resolve this, delete the Red .ini file in the root: \\WINDOWS folder, and launch Red again. If this doesn't work, save the Edius project, force a manual close of Edius (Control-Alt-Delete), delete the Red .ini file, then launch Edius again.

## Applying Boris Filters within Native Edius Filters

At this time Boris products do not support being launched from inside other Edius filters (for example, the Combine or Region Edius filters).

## Important Information for Final Cut Pro Users



Final Cut Pro 4.x users must have at least Macintosh OS version 10.3 installed in order to support Red's OpenGL feature.



To use Red's Preview to Monitor feature, you must turn off the external video in Final Cut Pro before launching Red. Choose View > External Video > Off before launching Red, then enable Red's Preview to Monitor feature when Red is launched. After leaving Red, reenable the external video (View > External Video > All Frames) to see Final Cut Pro video in the external monitor.

- Final Cut Pro 3 users running Red as a plug-in with FireWire for Red's Preview to Monitor feature, must disconnect before clicking the Apply button or FCP will crash. To disconnect, choose Preview > Disconnect External Monitor.
- Final Cut Pro 4.x users can now use Boris Red as a transition, taking advantage of a new architecture jointly developed between Boris FX and Apple. See Appendix B in Volume I of the Red User Guide for information on applying Boris Red as a transition.
- Red includes a **Static Generator** for *Final Cut Pro*. The Static Generator allows you to create a static slate which takes advantage of Final Cut Pro's real-time capabilities. When you apply the Static Generator, the Boris timeline opens with a duration of one frame which can then be applied to Final Cut Pro as a static slate.
- Red will now correctly field render video in the wells when using a Red FCP Generator. However, the media placed in the input wells for a Red Generator should match the FCP sequence size. Both the Red project size and the size of the well video will appear in Red at the FCP sequence size. If the well media is not the same as the FCP sequence size, fields won't render correctly.

Additionally, any video put into the input wells of a Red filter should be the same size as the clip with Red applied. In the case of Red applied as a filter, the Red project size is determined by the size of the filtered media. Once again the size of the filtered media needs to match any video in the wells. This will maintain the integrity of fields since Red doesn't allow host video inputs of various sizes within the same effect.

To use media whose size doesn't match the FCP sequence size (Generator) or the Filter media size, the best approach is to import that media directly into the Boris timeline from disk (rather than from the wells in FCP). This will provide you with full flexibility for dealing with non-standard size images, field interpretation, and oversize images.

- To edit an existing Red effect, make sure the playhead is positioned on the effect you want to edit before launching Red. Otherwise, the Boris interface will not appear.
- Do not export from Boris Red unless the FCP resolution is set to 100%. Otherwise, you get reduced image quality, because FCP does not provide Red with full-size frames. Likewise, if Final Cut Pro is at less than full resolution (100%), previews at full size appear in reduced quality.
- In some instances the Boris Red plug-in crashes due to an apparent conflict with MacsBug v6.6.3. If you have MacsBug 6.6.3 installed and experience crashing, try disabling or running an earlier version of MacsBug when using Boris Red.
- When you apply Red as a filter of generator, Red gets the project size from the media size and the Final Cut Pro project size. However, this is NOT how the Red transition works. The Red transition determines its project size by multiplying the Canvas window view percentage times the Final Cut Pro Project size. You should set the Canvas window to 100% before applying Red as a transition.

For example, you are using a 720x480 Final Cut Pro project. You apply Red to the transition between two clips, but are viewing your Canvas window at 50%. When you launch Red, the Project and media size is 260x240 (720x480 multiplied by .5). When viewing your Canvas window at 50%. with Square Pixels enabled, Red would set your project size to 360x270 (720X540 multiplied by .5). However, when you apply Red, the media displays at its correct size. If you view the Canvas window at 100% or larger, Red displays the media at its correct size.

- If more than one version of Red is installed in Final Cut Pro, the Effects menu lists both versions with the same name: Boris Red. The top item in the list is Boris Red 3.0.4 and the second item is the earlier version. We recommend you uninstall earlier versions.





## Important Information for Premiere Pro Users

Due to limitations in Premiere Pro 1.5, when you apply Red's Time filters directly to host media in the Premiere Pro timeline, you will experience the following problems.

- The filter appears to have no affect when you scrub in the timeline. You need to render in order to see the effect.
- Rendered effects may appear to jitter.

The workaround is to apply Time filters within Red by importing the media as a movie file and assigning the movie file to a track in the Red timeline. Do not apply Time filters directly to host media in the Premiere timeline.

## Important Information for Sony Vegas Users

When you create an effect in Red that will output an alpha channel to Vegas (for example a title which does not include the background video), when you apply the effect back to the vegas timeline you will notice the edges appear rough and contain white fringes. You need to reenter Red on the effect and in the Red Preferences set the Local Preferences' **Alpha Type menu** to *Premultiplied with Black*. The effect will display correctly when you apply back to Vegas. You will need to do this every time you create an effect that outputs alpha.

## Important Information for Ulead Users



Projects in certain versions of ULead Media Studio Pro may display jagged edges or reversed fields in rendered Boris effects. If your system shows this problem, you can use a utility to reverse ULead's video fields. If you have questions about this utility or whether your system exhibits this problem, email Boris technical support at [support@borisfx.com](mailto:support@borisfx.com).



When using Red as a transition in Ulead, the image quality for host media in the Composite window is very poor. Ulead does not pass a full size image. However, this does not affect rendering. The effect renders in high quality.



Using Red within Ulead with the Matrox Parhelia board may cause crashing. We do not recommend using the Matrox Parhelia board with Red plugged into Ulead.

## Installing and Using Adobe After Effects Filters within Boris Red

Boris FX provides a supported list of AE filters for use inside Boris Red. For best results, use only supported AE filters inside Boris Red. An list of Supported, Conditionally Supported and Unsupported filters can be found on our website: [www.borisfx.com](http://www.borisfx.com).

Supported filters were tested on single-processor machines. While these filters should also work in multi-processor machines, it is possible you will experience unexpected results or your machine may crash. If you have problems with supported filters in multi-processor machines, try disabling your MP functionality and recreating your filter effect.



Boris Red 3.0.4 includes four free DigiEffects Delirium filters: *DE Day for Night*, *DE Fog Factory*, *DE Fireworks* and *DE Electrical Arcs*. These filters are installed in the Boris Plug-ins folder when you install Boris Red. For more information, see the *DigiEffects\_info.pdf* and the *DeliriumUserGuide.pdf* and the Known Limitations Filters section on page 32.



**Tinder Users:** Tinder’s Effect Viewer only works properly with the Red Composite window set to Full Resolution. Additionally the Effect Viewer may disappear after dragging tracks. Use the regular controls if you experience this problem.

### Important Information on Using After Effects Filters

- Checkboxes and menus cannot be animated.
- Time remapping filters do not work in Boris Red.
- After Effects filters may take longer to render than most Boris Red effects.
- None of Adobe's built-in After Effects filters work inside Boris Red.
- If renders appear noisy or jittery, deselect the **Better Quality Field Rendering** checkbox in the Boris Preferences window and re-render the effect.
- If you have more than 900 filters, you will not see some filters inside Boris Red. If you reach the filter limit, when you launch Boris Red a warning asks you to remove some files from the BorisPlugins folder. You can ignore the warning and continue to work. However, you will not have access to all filters inside the BorisPlugins folder. You can use the Plugin Filter Manager to hide the filters you don’t need. See Chapter 4 in Volume I of the User Guide for details on using the Plugin Filter Manager.

### Installing AE Filters for Macintosh

Macintosh users should place supported After Effects filters or an alias in the following folder. The filters appear in the Filters menu within Boris Red.

*System Folder (or Library)/Application Support/BorisFX/BorisPlugins*

### Installing AE Filters for Windows

Windows users should place supported After Effects filters or an alias in the following folder. The filters appear in the Filters menu within Boris Red.

*C:\Program Files\Boris FX, Inc.\BorisPlugins*

## Important Information about Exporting to Flash

Boris Red allows you to export files in the Macromedia Flash (SWF) format. This allows you to export compositions as compact, vector-based files optimized for web viewing. For example, you could export a Type On effect to include on a web page.

Red exports Flash .swf files that are compliant with the Flash 5 architecture. If you are using QuickTime to preview your exported .swf files, you need a version of QuickTime that supports the Flash 5 format. The following effects are supported for exporting to Flash.

- Text
- Spline media
- 2D Charts (which consist of text and spline shapes)

Other bitmap elements such as video or still graphics can be included in the exported Flash file and will be JPEG-compressed. In the Export preferences you can set the quality of the JPEG compression.



When you export text to Flash, any texture that was applied to the text is ignored.



When you export text with a gradient fill to Flash, the resulting .swf file is blank.

### Exporting as Flash

The SWF format was designed primarily for animated 3D Line Art objects, so it works well when exporting settings that contain spline and text animations. Settings that contain video or animated bitmaps, however, generate rather large files. You might want to consider exporting such animations as a QuickTime or AVI file. See “Exporting Effects as Movies” on page 297 in Volume I in the Red User Guide for details.

The Flash export feature has some limitations. You cannot export 3D Extrusion tracks as Flash. Settings that contain 3D Extrusion tracks export as a blank track. The Flash export feature does not support shadows or gradients used as Texture tracks. However, you can export a static gradient as a bitmap background.



To prepare to export to Flash, you should change any shape track containing EPS files, text, or Spline media to 3D Line Art shape. Because you cannot use the 3D Line Art shape with the Brush tool, you cannot export brush strokes as Flash.

1. Select the appropriate track in the timeline.
2. Choose File > Export > Flash.  
A dialog box appears that allows you to name and save the file.
3. Name the track and click **Save**.

The composition is exported using the Flash Export settings, which are controlled by the Preferences window’s Export tab.

## Important Note on Creating Time Effects within Boris Red

The following important notes pertain to Time filters, including Optical Flow.

- Exporting an effect containing a Time filter (including Optical Flow) with host media is NOT recommended. If you want to export from Red with Optical Flow (or any Time) filter in the timeline, you should use imported media in the source track.  
This is because most hosts will not give Red both fields at set-up (preview). In that case, the first field of each frame goes into the motion estimator. If the motion is small from one frame to the next, and/or includes little crossing motion, the preview appears close to the rendered output. However, if the motion is large, and/or includes a lot of crossing motion, it is important for the motion estimator to have access to both fields in order to see an accurate preview of the rendered result.
- Some hosts (such as Canopus Edius and Sony Vegas) do not allow plug-ins to access host frames at different times. If your host does not allow Boris Red to access alternate frames, an “X” displays in the Composite window when you apply a Time effect to host video. If you run into this limitation, instead of applying to host video, set the source media for these filters to Movie media files (QuickTime, AVI) instead. This may require exporting your timeline video from the host application as a movie. If you are using Media 100 i, you can easily bring in native Media 100 movie files through the Bin Browser.
- **Premiere Pro only:** Due to limitations in Premiere Pro 1.5, when you apply Red’s Time filters directly to host media in the Premiere Pro timeline, you will experience the following problems.
  - The filter appears to have no affect when you scrub the timeline. You need to render in order to see the effect.
  - Rendered effects may appear to jitter.

The workaround is to apply Time filters by importing the media as a movie file and assigning the movie file to a track in the Red timeline. Do not apply Time filters directly to host media in the Premiere timeline.


## Important Information about Working with Motion Filters

- You should use the Snap CTI to KeyFrame option (Track > Snap CTI to KeyFrame) when working with the Motion filters to avoid confusion. For example, this option is not selected and you move the CTI off a selected keyframe. Then you adjust the Search and Target parameters using on-screen controls. A new keyframe is not created. Instead, the selected keyframe is adjusted. This could cause your media to track incorrectly. If you want to create a new keyframe, you must deselect all keyframes before adjusting parameters on-screen.
- While Interpolation Fields appear next to the Search/Target tab parameters, you should not adjust the Interpolation. Leave the Interpolation set to Hold. Adjusting the Interpolation will not affect the tracking but may cause on-screen parameters to display incorrectly.

- You can work at Half or Quarter Resolution to achieve a preview of a motion filter. But if the motion tracker fails repeatedly, you may have to work at Full Resolution.
- You can only adjust the Search and Target regions in the Motion filter track's Preview window. The Source track does not display the region controls; the Composite window does not display the region controls.
- The field order of the media must match the field order setting in the Media tab. You can set this in the Import tab in the Preferences window. See Volume II in the Red User Guide for more information.

## Important Information Using the KeyFrame Library

The first time you browse the KeyFrame Library effects within the Library Browser you must generate thumbnail images for the effects.

1. Open the Boris Library Browser, by choosing Window > Library Browser, clicking the **Open Library Browser button** in the timeline or pressing Command-9 (Macintosh) or Control-9 (Windows). 
2. Select an effect or effect folder and click the **Generate Thumbnails button**. For more information on using the KeyFrame Library, see Volume I of the Red User Guide.



We recommend that you build thumbnail previews for the KeyFrame Library in the Red Engine rather than within your host application. Because building previews actually renders your effect, this process can take as much as 25-30% longer in the plug-in than in the Red Engine.

## Fixed Bugs in Boris Red since Version 3.0

Red 3.0.4 includes many bug fixes from the initial 3GL version of Red. Fixed bugs include the following. Some of the following bugs were fixed in earlier versions of Red.

- Red now correctly supports Macintosh OS X 10.4.2 (Tiger).
- Graffiti 4.0.2 and FX 8.0.2 settings now correctly open in Red 3.0.4.
- **Avid only:** Graffiti now correctly installs into Avid Xpress Pro 4.8 and Adrenaline 1.8 systems.
- An issue with QuickTime export movies has been fixed, which previously caused a crash in certain hosts plug-ins (primarily on Windows AVX hosts). This crash could also occur when selecting the QT codec.
- German umlaut fonts now correctly display in Red.
- Third-party Asian fonts now appear correctly when typing in the Text window.
- **Final Cut Pro users only:** Red version 3.04 now correctly field renders synthetic media (titles and splines) when you apply as a generator. However, this fix will not work for legacy projects from FCP version 3.0. Red 3.02 had previously fixed a related problem so that other media types would field render video in the wells when using an FCP Generator. However, the media placed in the input wells for a Red Generator should

match the FCP sequence size. Both the Red project size and the size of the well video will appear in Red at the FCP sequence size. If the well media is not the same as the FCP sequence size, fields won't render correctly.

Additionally, any video in the input wells should be the same size as the filtered clip. When applied as a filter, the Red project size is determined by the size of the filtered media which needs to match any video in the wells. This will maintain the integrity of fields since Red doesn't allow host video inputs of various sizes within the same effect.

In a case that requires media sources whose size will not match the FCP sequence size (Generator) or the filter media size, the best approach is to import that media into the Red timeline from disk (rather than from the wells in FCP). This provides flexibility for dealing with non-standard size images, field interpretation, and oversize images.

- In Red 3.0 the Preview To Monitor for Avid feature was disabled even when running in Meridien-based Avid versions. This was corrected in Red 3.0.1.
- **Final Cut Pro 4.0 only:** The Red banner in the Effect Control tab no longer disappears after you apply an effect.
- **Final Cut Pro 4.0 only:** In earlier versions, Red could crash when applied as a filter or static generator in a setup that included a custom screen layout, such as color correction. This problem would occur when relaunching the Red user interface. This problem has been corrected.
- The 1-2-1 Deflicker preference is now correctly saved with your Preferences file.
- **Premiere Pro only:** Transitions and presets no longer appear vertically stretched when applied in Premiere Pro 1.5.
- **Premiere Pro only:** Shapes no longer appear and render stretched when previewing a Premiere Pro timeline at High Quality.
- **Pinnacle Liquid Edition 6.1 only:** Fields are no longer reversed when rendering a Red effect in Pinnacle Liquid version 6.1. See "Important Information for Pinnacle Liquid Edition Users" on page 17 for details.
- Dragging an animated spline track into the mask track of another track now correctly preserve the keyframe animation.
- Spline track keyframe timing information is now preserved when tracks are copied.
- **Windows only:** Crashes that occurred in certain situations when duplicating filter sets in the Plugin Filter Manager have been corrected.
- **Windows only:** Font styles are now stored with a **.B2F** extension instead of **.B2D**. This prevents the Text Styles and Font Styles from overlapping and appearing in the same tab in the Style Palette.
- Red 3.0.1 fixed situations where the Render thermometer did not update when you worked with either OpenGL enabled, or on an MP system in High Quality mode.
- Switching vertically from track to track in the timeline using the keyboard now properly synchronizes the OpenGL interactors shown in the Composition and Preview windows.
- Deleting the last used Library Browser folder and then launching Red no longer causes Red to hang when trying to restore that folder as the current one.
- The Render Thermometer now updates more consistently.

- **Windows only:** Old tool tips no longer randomly display in the Controls window when you hover over unrelated areas.
- The **Delete** key now deletes selected items in the Style Palette.
- The display of multiple selected items in the Style Palette now indicates the current selection when you Shift-select.
- You can now select contiguous items in a table using by pressing **Shift** and scrolling the mouse wheel.
- **Position X** and **Position Y** no longer act as if they are locked together in the Fire Filter.
- **Macintosh only:** Repeatedly pressing **Page Up** or **Page Down** now works properly when a non-Timeline window is active, except when a text editing field is open.
- Using the Mouse Wheel to switch a track selection no longer causes the last adjusted parameter in the Controls window to copy to the newly selected track.
- **Windows only:** You can now successfully apply styles to text in the Text window.
- The **Create Cross Platform Movie checkbox** has been removed from the Movie Export Settings dialog. Movies are now automatically created crossplatform.
- The BCC Fast Blur filter no longer crashes if the height of the source is greater than its width. This was previously a problem when the filter was applied upstream (on the face track) to media, or with a vertically oriented project.
- **Windows only:** Red 3.0.1 improved low-memory handling in the BCC Fast Blur filter.
- The performance of the Stars filter has been greatly improved.
- Previous audio files that could not play properly in Preview To Ram with Audio play in Red 3.0.1. These tended to be uncompressed WAV or AIFF files.
- Missing font names are now properly remembered, so you no longer see multiple messages complaining that the same font is missing.
- **Macintosh only:** Occasions where the scroll bars at the edges of windows disappeared have been fixed.
- **Macintosh only:** Audio tracks in the Project window remain as audio tracks when dragged into the timeline, they are no longer converted to movie tracks.
- **Macintosh only:** OpenGL performance has been improved when working with scaling down large textures (for example, 2K+ wide images).
- If you open a movie file as an audio track then open that same file as a movie file, when you change the start time of either track, it no longer affects both.
- Instances where the **Caps Lock feature** didn't work correctly in the Composite window have been fixed.
- The **Toggle Face/Shape Track Selection button** now works correctly for containers.
- Motion tracking filters no longer contain hidden points in the Tracker Preview window.
- **Windows only:** When using Title Containers and switching between the animation styles, the keyframes now reset so the container animates correctly.
- The Motion Tracker filter *Apply menu* is no longer empty when you apply it downstream in a Shape track.

- **Windows only:** The Motion Tracker filter can now be dragged from a Face track to a Shape track.
- The Motion Tracker filter is now applied downstream (to the Shape track, not the Face track) by default.
- The **V** key in the new Color Preview feature now works to commit to a color. Use the **C** key to dynamically preview colors, and then use the **V** key to commit to them.
- The Title Container **Position Y** (Roll) and **Position X** (Crawl) parameters no longer reset when certain other values are changed.
- Installing a large number of presets for BCC filters no longer increases the rendering time. The parameters in these filters no longer become less responsive.
- The **Position X** and **Position Y** parameters no longer act as if their interpolation is linked when changing from an interpolation other than **Ease In/Out**, to **Ease In/Out**.
- **Windows only:** 3D Sphere effects with Motion Blur enabled no longer render opaque, or crash in specific instances.
- You no longer crash with OpenGL enabled if you nest a track five times and adjust the first shape in the nest.
- **Final Cut Pro 4.0 only:** When you use Red as a Transition in Final Cut Pro 4.x, the Red Preferences are now respected. This means that when you relaunch Red as a Transition, changes you make to Quality, Resolution and other Red Preferences no longer need to be reset each time.
- **Windows only:** Many keyboard shortcuts that displayed incorrectly have been fixed.
- When you create spline effects using the **Add Extruded Pencil button** with animated borders, the effect no longer exhibits frames that appear different after rendering than they did when previewing the effect.
- The **Reveal Animation** and **Remove** now appear correctly in Area Charts.
- **Windows only:** The BCC Film Damage filter **Hair** parameter now functions correctly.
- Checkboxes and menus from the Controls window no longer display as **Option Change** in the History Palette.
- Preview to RAM now plays just the rendered section, rather than the entire timeline.
- If you change the media for an EPS file to a spline object, you no longer crash.
- Preview to RAM at Half Rate and Preview to RAM at Quarter Rate now preview the entire duration at their given rate.
- **Windows only:** If you press the Boris logo at the top of the Tools window, you no longer receive a memory error.
- **Media 100 iFinish only:** iFinish now passes the 16:9 ratio to Red in transition mode only. The Composite window no longer reflects 4:3.
- Changing font size on Chart Legends now changes the size of the squares accordingly and the circles remain the same size.
- If you change a Fade Animated Chart from Flat to Extruded, the animation now works correctly.

- Enabling values and a legend on an Area Chart no longer causes their values to display underneath the chart.
- Resetting a chart now fully resets any color changes you made.
- **Windows only:** Oversized images used as media for a background track now show up correctly when OpenGL enabled.
- **Windows only:** Keyframes now display correctly in the timeline when you create them by moving OpenGL interactors if one of the position's interpolation is set to Constant.
- **Macintosh only:** The Red Engine is missing the Ram Preview to Monitor selection.
- When you map media with an alpha channel to a Cube with multiple faces, you no longer see different media for the sides of the cube in OpenGL vs. Non-OpenGL modes.
- Spline shapes no longer shift if you draw a shape with the Brush tool then select the Arrow tool.
- If you have multiple tracks selected in the timeline and move them, the timeline now correctly displays the moved tracks.
- All settings from the Keyframe Library **Backgrounds** category now render correctly when you apply them with OpenGL enabled.

## Known Limitations in Red 3.0.4

Red 3.0.4 includes the following known limitations.

### General Limitations

- If you tumble an object that has an image bump map (such as a movie or still image file), you may see a moire pattern as it tumbles.
- When you save a style to the Materials tab in the Style Palette, it does not correctly save the Source type that was used in the Bump Map tab.
- When you open settings created in previous versions of Red, Red 3.0.2 ignores controls that were initially enabled in the Lights 2 and 3 tabs.
- If you import files that were created in Adobe Illustrator version 9, they display as transparent. Save the file in Illustrator version 8 instead.
- When you search for a missing media file using the **Search button** in the Media Files window, it may not find files that were moved to another local drive. Manually browse to the new location of the file and press the **Replace button**.
- Tracks containing PSD files that are converted to containers do not correctly update if you modify them (for example in Photoshop) and then use the Reload Files command.
- When you choose *Targa Sequence* as a file type when exporting a movie file, clicking the **Compression Settings button** erroneously displays QuickTime codec selections.
- Files exported to Flash from Red cannot be used in Macromedia Flash authoring applications such as Flash MX.

- If you use the Keyframe Time field in the timeline to move keyframes, all keyframes that a moving keyframe passes are merged to it. Instead, move keyframes past one another by dragging the mouse.
- Microsoft DV Type 1 filters do not work in Red as audio tracks.
- You cannot adjust Volume and Balance for Red audio files after you have changed them once; the files no longer update.
- Previewing with audio while you Preview to RAM to Monitor will disconnect Preview to an external monitor.
- Audio waveforms do not update when you adjust the global timeline. This is only a display issue that can be corrected by moving something slightly in the Composite window.
- Photoshop (.psd) files with adjustment layers display incorrectly in Red if you convert the track to a container. Turn off any adjustment layers in Photoshop before importing .psd files if you plan to convert to container.
- Resuming a partial render of an exported QuickTime file may have some undesirable results. In particular, video compressed with codecs that use frame-differencing and data-rate-limiting (such as Sorenson or Cinepak) may exhibit the following behavior. Some frames following the resume point may be corrupted. The data rate may be slightly larger than expected. Also, if the file includes an audio track, a slight blip may be heard at the resume point. This may occur with any codec.
- If you apply a title container to the timeline and add text into the container, you cannot successfully change the Background Color (in the Render tab). However, if you disable OpenGL, you can change the color if you view in High Quality.
- If you use Frame-Differenced movies (including movies compressed with Apple's QuickTime Animation codec and some movies compressed with Sorenson), you will see reduced performance. The use of Frame-Differenced movies is not recommended.
- When host field media is exported or previewed as frames, only the first field is used.
- When an image is full size in the Composite window, you must deselect the Shape control in the Composite window's Controls menu to directly manipulate an object's Mask or Crop controls.
- **Windows only:** Balance and Volume controls have no affect on audio tracks containing AVI files or MP3 files.
- **Windows only:** Boris Red exports Flash.swf files that are compliant with the Flash 5 architecture. If you are using QuickTime to preview your exported.swf files, your QuickTime version must support the Flash 5 format. Older versions of QuickTime display the background as a solid color.

**Limitations with Avid Systems Only**

- Avid 24p media renders with an image quality problem that seems to indicate Red is treating it as fielded media. We are working with Avid to quickly correct this problem.
- **Avid XpressDV and Speed~Razor only:** The Tool window can be forced into the background if you open it then click a window it is floating over.

- **Windows Avid Xpress Pro Only:** Due to a problem on Avid's side, you will crash when exporting a QT movie from Red if you choose Avid's MPEG 2 codec.
- Titles created in Avid display garbage in Red when viewed at Full Quality if the visibility for the lower timeline track(s) in Red are disabled.
- Rendered Red or AvidFX effects on tracks in the Avid timeline above Boris effects aren't unrendered when a change is made to the Boris effect - even in cases where they should become unrendered.

### Limitations with Edius Systems Only

- In Edius, when a clip is rendered, that clip is locked. Any changes to a Red effect will not display in the Edius Preview window until Edius is closed and reopened. To work around this limitation, complete the following steps:  
In the Edius settings, click the Render tab. In the **Delete invalid rendering files** section, choose *When the Rendered File is Invalid*. Unrender the clip by making a change, such as toggling the checkbox to disable/reenable the effect in the Edius Information Palette.
- At this time Boris products do not support being launched from inside other Edius filters (for example, the Combine or Region Edius filters).

### Limitations with Final Cut Pro Only

- **Final Cut Pro version 3.0 Users only:** FCP 3 users running Red as a plug-in with FireWire for Red's Preview to Monitor feature, must disconnect before clicking the **Apply button** or FCP will crash. To disconnect, choose Preview > Disconnect External Monitor.

### Limitations with Media 100 and iFinish Systems Only

- **iFinish only:** Intermittently, iFinish's Media 100 codec is not available within Red's QuickTime Export options list. Quitting and relaunching iFinish may fix this.

### Limitations with Pinnacle Systems Only

- **Pinnacle Liquid Only:** When you apply Boris as a transition and launch Red, Red's Composite window incorrectly displays the outgoing clip as the incoming clip. This is only a cosmetic problem and the transition will render correctly in Liquid. To work around this limitation, do one of the following.

Create the transition in Red as if your clips are correct. When you finish, apply the effect to Liquid and render your transition. The final render will be correct.

Alternatively you can press the **Media icon** in each Red track and swap Video 1 and Video 2. When you create your transition it will look correct in Red. Remember to swap them back before applying to Liquid.

- When Red is applied to a segment that also has a transition (including a native Liquid Transition) applied, the effect previews correctly, but renders as if the effect was applied twice (once on the video segment and again for the duration of the transition).



## Limitations with OpenGL

- Final Cut Pro 4.x users must install a minimum Macintosh OX 10.3 installed in order to support Red's OpenGL feature.
- Extruded shapes inside Z-Space Containers display in the Composite window in OpenGL Draft mode even when the extruded shape is grayed out in the timeline.

## Limitations with Keyboard Shortcuts

- **Windows Only:** The shortcut for changing color channels to RGB is labelled incorrectly. The Preview menu displays Color Channel as (ALT+-), but the actual shortcut is (ALT+^). You can assign new shortcuts in the Shortcuts window. See Volume I in the User Guide for more information on creating shortcuts.
- **Windows Only:** The shortcut for hiding marks is listed as (CTRL+ALT+'), however that shortcut does not work. Use the menu choice in the Preview menu, or create your own shortcut in the Keyboard Shortcuts window instead. You can assign new shortcuts in the Shortcuts window. See Volume I in the User Guide for more information on creating shortcuts.
- **Windows Only:** After creating new keyboard shortcuts, certain items in the Windows menu may show duplicate keyboard shortcuts (for example, the Filter Palette and Media Files window display the same keyboard shortcut). You can assign new shortcuts in the Shortcuts window. See Volume I in the User Guide for more information on creating shortcuts.

## Limitations with the Spline Object Media Type

- **Windows Only:** There are instances when you may want to include tracks that use the 3D Plane shape in a 3D Container that uses the 3D Model Renderer. This allows you to apply 3D parameters such as Materials, Textures and Bump Maps. When you use one of these two dimensional shapes in a 3D Model container, the track is called a 3D Primitive. However, render problems can occur when you enable a Bump Map for a Spline Object or Spline Primitive track in a 3D Model Container. Areas of the Bump Map can appear as a solid dark color or with dark bands if the track is tumbled or spun in 3D space. The workaround for this problem is to extrude the Spline track by assigning it the 3D Extrusion shape. Then set the **Extrusion** and **Bevel** amounts to **0** to maintain the flat look.
- If you select a group of splines in the Composite window and adjust one of the Path track's control parameters, the changes are not applied to any of the splines. The Path controls can only adjust one spline at a time.
- The **Reverse Keyframes** command (Track > Reverse Keyframes) does not work in Spline effects.
- If you apply a spline style from the Style Palette to a spline primitive shape, the shape resets back to the default shape values.

## Limitations with Text Features

- When the Text window is open, changes made in the Controls window (such as Margin, Wrap, or Font) will not update to the Composite window.
- The Date format *Day/Month/Year* in the Date / Time generator displays a comma at the end if you have suppressed the time display.
- Tracking behaves differently depending on whether the text was created with the Text tool or in the Text window. When you create text with the Text tool, the tracking honors the justification that is set in the Transform tab. When you create text in the Text window, the tracking is applied with center justification. If you want to track to the right or left using text that was created in the Text window, select the text with the Text tool and move it slightly. Then set the justification in the Transform tab. The Tracking now uses the justification. For details, see “Working with the Transform Tab” in Volume 1 of the Red User Guide.
- Importing RTF documents using the *Insert Text* feature in the timeline’s contextual menu will cause all tab delimited text to appear on the first line in Red, rather than in multiple lines. You will need to manually insert line breaks.
- Text on a Path moving from right to left will display upside down. To correct this, manually reverse the path, or click the **Reverse Path checkbox** in the Path tab.
- If you flip an image vertically and then render it through the host, the rendered video appears jittery. Enable the **Better Quality Field Rendering checkbox** to render correctly.

## Limitations with Chart Features

- Accented letters such as é are not passed from the Chart Editor to the Chart Container correctly. Therefore, a Chart Legend or Grid label that uses accented characters must be entered directly into the text track, using the Text tool or Text window. If this is necessary, it must be done as a final step when building the chart. This is because editing the chart data or enabling / disabling the Legend or Grid updates this text using Chart Editor text; as a result, the accented characters will be lost.
- When both the **Reveal** and **Remove checkboxes** are enabled in the Animation tab, Position X no longer animates when you work with extruded Bar and Pie Charts.
- Removing an extruded Bar Chart by selecting the **Reveal Shape checkbox** in the Animation tab does not work correctly. Instead of animating the height of the bars sequentially, they are simply removed individually. In addition, when this checkbox is selected, the Overlap Time parameter is not respected.
- For the most reliable results, the **Animate button** should not be in static mode when working with charts. For details, see Chapter 1 in Volume I of the User Guide.
- On certain systems, extruded pie charts pieces may incorrectly display their corners. Reduce the Bevel to 0 to fix this.
- If you have long names for the X axis (defaults: South, East, West, and North), and you are animating the chart (if you have animation turned on) the names will not line up with the actual chart.

- Selecting the **Apply Current Spline Style checkbox** can create unintended changes if the setting is modified after another spline style is selected. For example, you create a static Line chart setting with the **Apply Current Spline Style checkbox** selected. You apply another spline style from the Style Palette to a different track. If you then animate the chart, the chart will update with the latest spline style, rather than the style originally saved with the effect. The only workaround necessary is to reapply the original spline style from the Style Palette.
- Depending on the scale you set for a Line Chart, you may see small nicks or indentations in the lines when you work in Full Resolution. Slightly increase or decrease the scale of the line chart to fix this.

## Limitations with Filters

- **Windows Only:** Do not press the *About Box* for the Delirium DE Day for Night FX filter. You will crash Red.
- **Avid Xpress DV Only:** The final render of an Optical Flow effect that is applied to host media renders slightly jittery. To correct this problem, import the timeline video as a QuickTime movie.
- If you apply a filter containing the motion tracker then change the duration of the project and analyze the motion, the tracker data will only apply one second's worth of information, not the new duration that you made. To work around this, after you change the duration, delete the motion tracker filter and apply it again.
- When the default interpolation is set to Constant in the Preferences window, and a Motion Tracker filter is added to the timeline, resetting the default interpolation in the Preferences window will result in no keyframes being generated for the Motion Tracker when you move the tracker target/region until you exit and re-enter Red.
- Render any effect with a filter involving edge detection (for example, RGB Edges) with the **Better Quality Field Rendering checkbox** selected. Otherwise, the effect jitters.
- In the 2D Particles filters, increasing the particle size scale can cause some custom shapes to truncate. You can avoid this by looking at the initial, unscattered particle grid. If some particles are cut off by the frame when you increase their size, then they will remain cut off throughout the duration of the effect. To avoid this, adjust the size parameters so that no particles are initially cut off.
- The first rendered frame of effects using the 2D Particles Advanced filter will display particles, although you will not see particles in the first frame of a preview.
- The Fire filter renders with the fields reversed unless you render it with **Better Quality Field Rendering** enabled.
- In the Fire filter, when using text as a Map layer, the size of the text is ignored and will frequently display garbage. Map text to a shape, then nest the shape layer inside the Fire filter to correct this problem.
- Some filters create effects that evolve over time based on their parameter settings. The output of these filters (for example Velocity Remap, Particle System, Comet) depends on the parameter values for the entire effect; changing a value on a frame changes the output for all subsequent frames. If the animation jumps after changing a parameter,

Red probably did not invalidate frames that were affected by the change. To fix this, choose Edit > Purge Frame Cache, and preview again. The rendered output does not use cached frames, so even if you forget to purge, the final render appears correct.

- Time filters do not work with host video when rendering in many hosts. They work with Movie media when rendering in the host. For more information on this limitation, see “Important Note on Creating Time Effects within Boris Red” on page 21.
- Time filters always use the first field of fielded media when frame rendering or previewing.
- The Motion Tracker Filter’s **Analyze button** won’t analyze the total length of the timeline if a movie’s length is shorter than the effect duration and the movie is set to Loop.

### Limitations with BCC Grain Filters

- The Grain filter presets do not store the grain sample, only the filter settings. If you load a Match Grain preset and want to use a stored grain signature, you have to load that as well. If you load a DeGrain preset with the **Lock Sample checkbox** enabled, Red will not acquire the sample.
- If you select a preset in the Match Grain filter, the preset name does not appear in the control.
- The BCC DeGrain and Match Grain filters can only be used when Red’s Composite window is set to Full Resolution. If you are not in Full Resolution, an error message appears. If you do not set the Composite window to Full Resolution, a red “X” displays in the sample box.

## Registration

Make sure to register your product in order to receive the latest technical and upgrade information as well as several BCC filters which are not included on the Boris Red 3.0.2 installation CD. You can register either by filling out the registration form online at <http://borisfx.com/support/register.html> or by sending us your completed registration card.

We offer registered users one year of free technical support starting from the date of purchase. In addition, registered users have access to some free upgrades.



The BCC DeGrain, BCC Match Grain, BCC Motion Blur, BCC Radial Blur, and BCC Spiral Blur filters are available as a free download to registered users. These filters are available on the Downloads page at [www.borisfx.com](http://www.borisfx.com).

## Contacting Technical Support

For technical support, contact Boris Red technical support specialists:

web: <http://www.borisfx.com/support/>



e-mail: [support@borisfx.com](mailto:support@borisfx.com)

phone: 617-451-9900

hours: 9am-5pm Eastern Time (United States & Canada, GMT -05:00)